

## Formulary

### New Majestic Velvet Blueberry

#### Product Description: Pressed Eyeshadow



Phase	Trade Name	INCI Name	Supplier	Formula #	Formula #	Formula #	Formula #
				<b>203-53C</b>			
A	Talc MM3D1	Talc, Dimethicone, Magnesium Myristate	Sandream	17.48			
A	Mical LL3	Mica Lauryl Lysine	Sandream	14.46			
A	Bi-glo 0120	Bismuth Oxychloride	Sandream	4.80			
A	Micropoly 250S	Polyethylene	Micro Powders Inc.	3.60			
A	Zinc Stearate	Zinc Stearate	Brenntag	3.60			
A	Aerosil R972	Fumed Silica	Aerosil	0.06			
B	Majestic Velvet Blueberry MCS-516	Mica, TiO2, SnO2, Ferric Ferrocyanide	Sandream	44.00			
C	Vitamin E	Tocopheryl Acetate	Sandream	0.75			
C	Octyldodecyl Olivat	Octyldodecyl Oleate	Sandream	4.50			
C	Beeswax SP-422P	Beeswax	Stahl and Pitsch	0.15			
C	Wickenol 171	Ethylhexyl hydroxystearate	Alzo	4.50			
C	Jeecide Phenoxy	Phenoxyethanol	Jeen	1.50			
C	Propyl Paraben	Propyl 4-hydroxybenzoate	Sandream	0.15			
C	Methyl Paraben	Methyl 4-hydroxybenzoate	Sandream	0.45			
<b>TOTAL PERCENT</b>				100		0	0

**Procedure:** Premix Phase A in osterizer blender and mix thoroughly until well blended. Add phase B to A and gently mix for 1 minute. Preweigh phase C into glass beaker and heat to 70°C and stir until all is dissolved and uniform. Add phase C to A and B and blend for one minute. Scrape down sides and repeat blending process. Press into desired eyeshadow pans.